

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Daisuke SHOJI et al.

Group Art Unit: 1796

Appln. No. : 10/599,435
(U.S. National Phase of PCT/JP2005/005271)

Examiner: Chung-Cheng WANG

I.A Filed : March 23, 2005

Confirmation No.: 8794

For : METHOD FOR CONTROLLING AVERAGE PORE DIAMETER OF POROUS
BODY COMPRISING APATITE/COLLAGEN COMPOSITE FIBERS

REQUEST FOR EXTENSION OF TIME


Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window, Mail Stop AMENDMENT
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir :

Please extend the time for response to the Office Action dated November 2, 2009, which was set to expire on February 2, 2010, by one month from February 2, 2010 to and including March 2, 2010. Applicants submit herewith the requisite fee as payment.

Applicants authorize the U.S. Patent and Trademark Office to credit any overpayment or charge any additional fee to Deposit Account No. 19-0089.

Respectfully Submitted,
Daisuke SHOJI et al.



Bruce H. Bernstein
Reg. No. 29,027

Stephen M. Roylance
Reg. No. 31,296

March 2, 2010
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191